

Physical Sciences Seminar

Spatio-temporal electronic correlations: From quantum criticality to \$\pi\$-tons

Karsten Held

TU Vienna

Host: Georgios Katsaros

Electronic correlations give rise to fascinating physical phenomena such as high-temperature superconductivity and (quantum) criticality, but their theoretical description remains a grand challenge. Dynamical mean field theory has been a big step forward: it accurately describes the local electronic correlations including their quantum, temporal dynamics. In recent years diagrammatic extensions of dynamical mean field theory, such as the dynamical vertex approximation, have been developed. These methods not only include the dynamcis but also non-local correlations on all length scales [1].After a brief introduction to these methods, I will present some recenthighlights: the discovery of a new universality class of quantum critical exponents in the Hubbard model [2], the description of quantum criticality in the periodic Anderson model [3], and the discovery of new polaritons in strongly correlated electron systems, coined \$\pi\$-tons[4].[1] G. Rohringer, H. Hafermann, A. Toschi, A.?A. Katanin, A.?E. Antipov, M.?I. Katsnelson, A.?I. Lichtenstein, A.?N. Rubtsov, and K. Held, Rev.Mod. Phys. 90, 025003 (2018)[2] T. Schfer, A.?A. Katanin, K. Held, and A. Toschi Phys. Rev. Lett.119, 046402 (2017).[3] T. Schfer, A. A. Katanin, M. Kitatani, A. Toschi, and K. Held Phys.Rev. Lett. (2019) accepted [arXiv:1812.03821].[4] A. Kauch, P. Pudleiner, K. Astleithner, T. Ribic, and K. Held [arXiv:1902.09342]

Tuesday, June 18, 2019 11:00am - 12:00pm

Mondi Seminar Room 2, Central Building



This invitation is valid as a ticket for the ISTA Shuttle from and to Heiligenstadt Station. Please find a schedule of the ISTA Shuttle on our webpage: https://ista.ac.at/en/campus/how-to-get-here/ The ISTA Shuttle bus is marked ISTA Shuttle (#142) and has the Institute Logo printed on the side.